

Common User Data

Machine Name:	Xerox VersaLink B625 MFP (AC-E77/F)
Machine Serial Number:	5321605305
Fax Line1:	
Machine Activation Date:	Jun 17, 2025 15:31:00
Total Impressions:	5153

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
Recycling Phone Number:	
System Administrator:	Not set
Machine Location:	machine location not set
Managed By:	
Primary MB Server:	

Machine Hardware

Fax Card:	Embedded; 1 Line
Fax Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	3904 MB
Device Storage Size:	used=2826MB/total=0MB (eMMC)
EPC Memory Size:	187 MB
Productivity Kit:	Not Installed
Finisher Type:	Simple Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Mul-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	21.28
Xerox Workplace Cloud:	Disabled
E-mail Alerts:	Disabled
Service Plan:	Metered
Geographic Region:	unknown
Startup Config Report:	Disabled
GMT Offset:	+05:30
Cloning Installation:	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Enabled
File Sharing:	Enabled
JBIC2:	Lossless

Energy Saver

Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	120 minutes
Auto-Off:	Disabled

Software Versions

Device Software:	123.025.005.27600
Patch Version:	None
Network Controller:	123.025.27600
UI Panel Firmware:	6.1
User Interface:	123.025.27600
Marking Engine:	237.003
Copy Controller:	123.025.27600
Document Feeder:	237.003
Finisher:	000.000.000
Fax:	003.022.005
OS:	237.003
Scanner:	237.003
Software Upgrade:	006.001
ALTIROOT Software Upgrade:	006.001
Tray 2:	A16.47_B2.3
Tray 3:	A16.47_B2.3
Tray 4:	A16.47_B2.3

Machine Upgrades:

Last Successful Upgrade:	October 7, 2025 14:08:11
Scheduled Auto Upgrades:	Disabled
Auto Upgrade Start Time:	Daily
Auto Upgrade Server:	0.0.0.0:21

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and A4 (210 x 297 mm)
Tray 3:	Plain, White and A4 (210 x 297 mm)
Tray 4:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Plain, White and A4 (210 x 297 mm)

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning:	Enabled
Authentication Required:	Disabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered
Physical Connections	
USB Settings	
USB Type A Ports:	All Enabled
USB Type B Port:	Enabled
Connection Timeout:	5 seconds
Wired:	
Ethernet MAC Address:	Enabled
Ethernet Speed/Duplex Setting:	78.8c:77:ac:87:7f auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup™ (WPS) Name:	
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPV4:	Disabled
IPv4 Address:	
Subnet Mask:	
Router/Gateway:	
Automatic Addressing:	
DHCP Server:	
DHCP Lease Expiration:	
BOOTP Broadcast:	
Self Assigned Address State:	
Self Assigned Address:	
TCP/IPV6:	Enabled
Link Local Address:	fe80:7a8c:77ff:feac:e77f
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	2403:0:22b:4:7a8c:77ff:feac:e77f
Stateless Global Address 2:	..
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	2403:0:22b:4:72a8:1d0b:3b56:e84b
Default Gateway:	fe80:eedd:24ff:fe57:5967
DUID (DHCP Unique Identifier):	00030001788c77ace77f
DNS Settings:	
Requested Host Name:	XRX788C77ACE77F
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	2403:0:22b:4:4a14d38b3:33b:477a
Alternate DNS Server 1:	2403:0:22b:4:39ff:35cd:e8a8:3087
Alternate DNS Server 2:	..
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

PS:	Installed
Microsoft Custom Authentication:	Installed
Upgrade Data Store:	Installed
Ignore Domain part of User ID:	Installed

Protocols (cont.)

Bonjour:

Bonjour Printer Name: Xerox VersaLink B625 MFP (AC177F)

HTTP:
 Port Number: 80
 Force Traffic over Secure Connection (H...): Yes
 Secure HTTP Port Number: 443
 Proxy Server: Translation Not Found
 Proxy Server Address: 10.177.8.91:8080
 IPP:
 Secure IPP Mode: IPP and Secure IPPS
 IPP Network Path: http://631

SNMP

SNMP v1/v2: Enabled
 SNMP v3: Disabled

LPR/LPD:

Port Number: 515
 PDL Switching: Disabled
 PDL Banner Override: Disabled

Raw IP Printing:

Port Number 1: Enabled
 9100
 Bidirectional: Disabled
 End of Job Timeout: 300
 PDL Switching: Disabled

LDAP

LDAP Server 1 Friendly Name:
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389
 LDAP Server 1 Search Directory Root:
 LDAP Server 1 Secure Connection (LDA...): Disabled
 LDAP Server 1 Validate Server Certificate...: Disabled

SMTP

SMTP Server: 10.61.10.8:25
 Connect Encryption (TLS): No Encryption
 Validate Server Certificate (TLS):
 Max Message Size (KB): 10240
 Number of Fragments: 1
 Total Job Size (KB): 300000
 Job Splitting Boundary: Page Boundary
 Credentials for Auto E-mails: None
 Credentials for Walkup User: None
 SMTP Authentication Type: Basic Auth with SMTP

POP3

POP3 Server: 0.0.0.0:110
 POP3 Secure Connection (TLS): Disabled
 E-mail Address:
 POP3 Validate Server Certificate:
 Receipt of E-mail via POP3: Disabled
 Send Confirm on Request: Enabled
 Incoming E-mail cover sheet: Enabled

NTP:

Primary Server: [2403:0:22b:4:a14d:38b3:33b:477a]:123
 Alternate Server: [2403:0:22b:4:39f0:35cde8a8:3087]:123

SLP:

FTP Client: Disabled
 FTP Client Mode: Passive

Web Services on Device:

WS-Discovery: Enabled
 WS-Discovery Multicast: Enabled
 WS-Print: Enabled
 WS-Scan: Enabled

Web Services

Copy Submission: Enabled
 Digital Certificate Management and Securi...: Enabled
 Extensible Service Registration: Enabled
 Job Limits: Enabled
 Job Management Extension: Enabled
 Device Configuration: Enabled
 Scan Submission: Enabled
 Scan Workflow Management: Enabled
 Session Data: Enabled
 User Interface Configuration: Enabled
 IIP Proxy Configuration: Enabled
 Xerox Secure Access: Disabled
 IIP SNMP Configuration: Enabled
 Print Submission: Enabled
 Scan Template Mgmt: Enabled
 Mass Storage Access: Enabled
 Card Reader Access: Enabled
 Authentication & Accounting Configur...: Enabled
 Export Audit Log: Enabled
 Trellix Embedded Control: Enabled

Apps

Printing

Barrier Sheet: Disabled
 Sys/Start Job: Disabled
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)
 Error Sheets: Enabled
 Paper Substitution: Enabled
 Tray Priority: 1,2,3,4,5
 Default Copies: 1
 Default Job Type: Normal Print
 Default Paper Size: x=210mm, y=297mm
 Default Paper Color: White
 Default 2 Sided Printing: 2 Sided
 Default Output Tray: Center Tray
 Default Output Color: Black & White
 Default Collated Sets: Enabled
 Default Stapling: Not Available
 Offsetting Between Jobs: No Offset Between Jobs
 Archival Marking Mode: Off
 PostScript: Installed
 Level: 3
 Version: 3021.101
 Image Quality: Enhanced

PCL

Version: 6
 Pitch Size: 10.00
 Point Size: 12.00
 Font Name: Courier
 Lines Per Page: 64
 Custom Color Tables: Enabled
 Label: Not Installed
 Disabled

Fax:

Fax Line1:
 Fax Line2:

Server Fax:

Confirmation Sheet: Enabled
 On
 Delay Start: Disabled
 Repository Protocol: FTP
 Repository Server: Exchange.GDCIPV6.com:21
 Repository Document Path: /

Workflow Scanning:

Confirmation Sheet: Enabled
 On
 Default Repository Protocol: SMB
 Default Repository Server: 10.61.23.93:445
 Default Repository Document Path: /
 Default Repository Login Credentials: Device
 Alt1 Repository Protocol: SMB
 Alt1 Repository Server: 0.0.0.0
 Alt1 Repository Document Path:
 Alt1 Repository Login Credentials: Device
 Workflow Pool Protocol: SMB
 Workflow Pool Server: 0.0.0.0
 Workflow Pool Path:

Email:

Default From Address: Enabled
 syed.habibunnisa@xeroxqa.com
 Confirmation Sheet: On
 Auto Send to Self: Disabled
 E-mail Security: Disabled

Scan to Mailbox:

View Mailboxes by Default: Enabled
 Storage Capacity (MB): 672 MB
 Storage Used (MB): 51 MB
 Cleanup of Public Folders: Enabled
 Cleanup of Created Folders: Enabled
 Cleanup Time: Daily
 Disabled

Scan to Home:

Friendly Name:
 Workflow Name:
 Auto Create Subdir: Disabled
 Append User Name to Path: Disabled
 Auto Create User Name Dir: Disabled

Scan To:

Cloud Services: Enabled
 Disabled
 Print From: Enabled
 Saved Jobs for Reprint: Enabled
 Print From USB: Enabled
 Print From MailBox: Disabled
 Cloud Services: Disabled

Accounting

Accounting Mode: None
Network Accounting: Disabled

Security**Authentication Configuration**

Machine UI Authentication: Locally on the Device
Home: Unlocked
Jobs: Unlocked
Device: Unlocked
Device Website Authentication: Locally on the Device
Authorization: Locally on the Device
Retrieve E-mail from LDAP: Enabled
Authentication Server: Kerberos

Kerberos Primary Realm:
Kerberos Primary Address: 0.0.0.0:88
Kerberos Alt 1 Realm:
Kerberos Alt 1 Address: 0.0.0.0:88
SMB NT Domain:
SMB Alt 1 NT Domain:
Smartcard Ctrl Server: 0.0.0.0:443
Smartcard Ctrl Domain:
SmartCard OSCP URL:
Card Reader Upgrade Policy: Enabled
Card Reader Firmware Version:

Xerox Secure Access:

Secure Access Server: Disabled
Secure Access Path: 0.0.0.0:443

Audit Log:

Enabled

IP Sec:

Disabled

IP Filtering:

Disabled

Security Certificates

Machine Certificate: Signed
Root Certificates Installed: 64

802.1x:

Disabled

Job Data Removal:

Scheduled: Disabled
Scheduled Frequency:

FIPS 140-3:

Disabled

TLS:


TLS Hash: TLS 1.1 and TLS 1.2
SHA-1, SHA-256 and above

Trellix Embedded Control:

Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_2.40.5_012_01.00.00
Widget Version: v1.3.17 c8 20140613
Widget Version: v2.5.04 g9 20240123



Common User Data

Machine Name:	Xerox VersaLink B625 MER (AC:E7:7F)
Machine Serial Number:	5321605305
Fax Line1:	
Machine Activation Date:	Jun 17, 2025 15:31:00
Total Impressions:	5151

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
Recycling Phone Number:	
System Administrator:	Not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

Machine Hardware

Fax Card:	Embedded; 1 Line
Fax Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	3904 MB
Device Storage Size:	used=2826MB/total=13925MB (eMMC)
EPC Memory Size:	187 MB
Productivity Kit:	Not Installed
Finisher Type:	Simple Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	21:28
Xerox Workplace Cloud	Disabled
E-mail Alerts:	Disabled
Service Plan:	Metered
Geographic Region:	unknown
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
File Sharing	Enabled
JBIC2	Lossless

Energy Saver

Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated

Smart Proximity Sensor

Wake on Arrival:	Not Available
Sleep on Departure:	

Software Versions

Device Software:	123.025.005.27600
Patch Version:	None
Network Controller:	123.025.27600
UI Panel Firmware:	6.1
Marking Engine:	237.003
Document Feeder:	237.003
Finisher:	000.000.000
Fax:	003.022.005
Scanner:	237.003

Machine Upgrades:

Last Successful Upgrade:	Allowed October 7, 2025 14:08:11
--------------------------	-------------------------------------

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and A4 (210 x 297 mm)
Tray 3:	Plain, White and A4 (210 x 297 mm)
Tray 4:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Plain, White and A4 (210 x 297 mm)

Installed Options

IPS:	Installed
Microsoft Custom Authentication:	Installed
Upgrade Data Store:	Installed
Ignore Domain part of User ID:	Installed

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication Required:	Disabled

Physical Connections

USB Settings	
USB Type A Ports	All Enabled
USB Type B Port	Enabled
Wired:	Enabled
Ethernet MAC Address:	78:8c:77:ac:e7:7f
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled

Wireless MAC Address:

Network Name (SSID):

BSSID:

Security Mode:

Encryption Algorithm:

Status:

Wi-Fi Direct:

Wireless Hardware:

Wi-Fi Protected Setup™ (WPS) Name:

Access Point (SSID):

Show Password on Device Touch Screen:

NFC:

iBeacon (Bluetooth®) for AirPrint Di...

iBeacon Hardware:

Bluetooth Device Address:

iBeacon IP Address:

Protocols

TCP/IP v4:

IPv4 Address:	Disabled
---------------	----------

Subnet Mask:

Router/Gateway:

Automatic Addressing:

DHCP Server:

DHCP Lease Expiration:

BOOTP Broadcast:

Self Assigned Address State:

Self Assigned Address:

TCP/IP v6:

Link Local Address:

Use Router Supplied Prefix:

Stateless Global Address 1:

Stateless Global Address 2:

Manual Address:

DHCP Addressing:

DHCP Address:

Default Gateway:

DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name:

Verified Host Name:

Requested Domain Name:

Verified Domain Name:

Multicast DNS:

Release DHCP Leases and DNS Registrati...

Primary DNS Server:

Prefer IPv6 DNS over IPv4:

Bonjour:

Bonjour Printer Name:

HTTP:

Force Traffic over Secure Connection (H...

IPP

SNMP

SNMP v1/v2:

SNMP v3:

LPR/LPD:

Raw IP Printing:

LDAP

LDAP Server 1 Primary LDAP Address:

LDAP Server 1 Search Directory Root:

LDAP Server 1 Secure Connection (LDA...

LDAP Server 1 Validate Server Certificate...

SMTP

SMTP Server:

Connect Encryption (TLS):

Validate Server Certificate (TLS):

SMTP Authentication Type:

Enabled

Not Installed

Enabled

Enabled

Not Installed

Disabled

Enabled

fe80::7a8c:77ff:feac:e77f

Enabled

2403:0:22b:4:7a8c:77ff:feac:e77f

::

Use DHCP as directed by a router

2403:0:22b:4:72a8:1d0b:3b56:e84b

fe80::eedd:24ff:fe57:5967

00030001788c77ace77f

XRX788C77ACE77F

Enabled

Disabled

2403:0:22b:4:a14d:38b3:33b:477a

Enabled

Xerox VersaLink B625 MFP (AC:E7:7F)

Enabled

Yes

Enabled

Enabled

Disabled

Enabled

Enabled

0.0.0.0:389

Disabled

Disabled

10.61.10.8:25

No Encryption

Basic Auth with SMTP

Protocols (cont.)

POP3	
POP3 Server:	0:0:0:110
POP3 Secure Connection (TLS):	Disabled
POP3 Validate Server Certificate:	
E-mail Address:	
NTP:	Disabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled

Apps

Printing

Banner Sheet:	Disabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Troy Priority:	1,2,3,4,5
Archival Marking Mode:	Off
PostScript	Installed
Level:	3
Version:	3021.101
PCL	
Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed
Fax:	Disabled
Fax Line1:	
Fax Line2:	

Server Fax:

Repository Protocol:	Enabled
Repository Server:	FTP
Repository Document Path:	Exchange.GDCIPV6.com:21

Workflow Scanning:

Email:	Enabled
Scan to Mailbox:	Enabled
Storage Capacity (MB):	672 MB
Storage Used (MB):	51 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

Scan to Home:

Scan To:	Disabled
----------	----------

Cloud Services:

Cloud Services:	Disabled
-----------------	----------

Print From:

Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled

Accounting

Accounting Mode:	None
Network Accounting:	Disabled

Security

Authentication Configuration

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled

Authentication Server:

Authentication Server:	Kerberos
------------------------	----------

Xerox Secure Access:

Xerox Secure Access:	Disabled
----------------------	----------

Audit Log:

Audit Log:	Enabled
------------	---------

IP Sec:

IP Sec:	Disabled
---------	----------

IP Filtering:

IP Filtering:	Disabled
---------------	----------

Security Certificates

Machine Certificate:	Signed
Root Certificates Installed:	64

802.1x:

802.1x:	Disabled
---------	----------

Job Data Removal:

Scheduled:	Disabled
------------	----------

FIPS 140-3:

FIPS 140-3:	Disabled
-------------	----------

TLS:

TLS:	TLS 1.1 and TLS 1.2
------	---------------------

TLS Hash:

TLS Hash:	SHA-1, SHA-256 and above
-----------	--------------------------

Trellix Embedded Control:

Trellix Embedded Control:	Enhanced Security
---------------------------	-------------------

Common User Data

Machine Name:	Xerox VersaLink B625 MFP (AC:E7:7F)
IPv4 Address:	10.61.16.183
Machine Serial Number:	5321605305
Fax Line1:	
Machine URL:	https://10.61.16.183
Machine Activation Date:	Jun 17, 2025 15:31:00
Total Impressions:	5141

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
Recycling Phone Number:	
System Administrator:	Not set
Machine Location:	machine location not set
Managed By:	
Primary M3 Server:	

Machine Hardware

Fax Card:	Embedded; 1 Line
Fax Memory Size:	0 MB
Front Interface Card:	not present
Device RAM Size:	3904 MB
Device Storage Size:	used=2797MB/total=13925MB (eMMC)
UFC Memory Size:	187 MB
Productivity Kit:	Not Installed
Finisher Type:	Simple Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	21.28
Xerox Workplace Cloud	Disabled
E-mail Alerts:	Disabled
Service Plan:	Metered
Geographic Region:	unknown
Startup Config Report:	Disabled
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Enabled
File Sharing	Enabled
iBIG?	Lossless
Energy Saver	
Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	120 minutes
Auto-Off:	Disabled

Software Versions

Device Software:	123.025.005.27600
Patch Version:	None
Network Controller:	123.025.27600
UI Panel Firmware:	6.1
User Interface:	123.025.27600
Marking Engine:	237.003
Copy Controller:	123.025.27600
Document Feeder:	237.003
Finisher:	000.000.000
Fax:	003.022.005
OS:	237.003
Scanner:	237.003
Software Upgrades:	005.001
ALTBOT Software Upgrade:	005.001
Tray 1:	A15.47_B2.3
Tray 2:	A16.47_B2.3
Tray 3:	A16.47_B2.3
Machine Upgrades:	Allowed
Last Successful Upgrade:	October 7, 2025 14:08:11
Scheduled Auto Upgrades:	Disabled
Auto Upgrade Start Time:	Daily
Auto Upgrade Server:	0.0.0.0:21

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and A4 (210 x 297 mm)
Tray 3:	Plain, White and A4 (210 x 297 mm)
Tray 4:	Plain, White and A4 (210 x 297 mm)
Hypers Tray:	Plain, White and A4 (210 x 297 mm)

Connectivity

Mobile Workflows	
AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication Required:	Disabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered
Physical Connections	
USB Settings	
USB Type A Ports	All Enabled
USB Type B Port	Enabled
Connection Timeout	5 seconds
Wired:	
Ethernet MAC Address:	78.8c.77.ac:e7:7f
Ethernet Speed/Duplex Setting:	auto
Wireless:	
Wireless MAC Address:	Disabled
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup™ (WPS) Name:	
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPv4:	Enabled
IPv4 Address:	10.61.16.183
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.16.1
Automatic Addressing:	DHCP
DHCP Server:	
DHCP Lease Expiration:	
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	
TCP/IPv6:	Disabled
Link Local Address:	
Use Router Supplied Prefix:	
Stateless Global Address 1:	
Stateless Global Address 2:	
Manual Address:	
DHCP Addressing:	
DHCP Address:	
Default Gateway:	
DUID (DHCP Unique Identifier):	
DNS Settings:	
Requested Host Name:	XR788C77ACE77F
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrat...	Disabled
Primary DNS Server:	10.61.7.16
Alternate DNS Server 1:	10.61.10.6
Alternate DNS Server 2:	10.61.7.15
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	XEROXQA.COM.
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

PS:	Installed
Microsoft Custom Authentication:	Installed
Upgrade Data Store:	Installed
Ignore Domain part of User ID:	Installed

Protocols (cont.)

Apps

Bonjour:	
Bonjour Printer Name:	Xerox VersaLink B625 MFP (AC:E7:7F)
HTTP:	Enabled
Port Number:	80
Force Traffic over Secure Connection (H...):	Yes
Secure HTTP Port Number:	443
Proxy Server:	Translation Not Found
Proxy Server Address:	10.177.8.91:8080
IPP:	Enabled
Secure IPP Mode:	IPP and Secure IPPS
IPP Network Path:	http://10.61.16.183:631
SNMP:	
SNMP v1/v2:	Enabled
SNMP v3:	Disabled
LPR/LPD:	Enabled
Port Number:	515
PDL Switching:	Disabled
PDL Banner Override:	Disabled
Raw IP Printing:	Enabled
Port Number 1:	9100
Bi-directional:	Disabled
End of Job Timeout:	300
PDL Switching:	Disabled
LDAP:	
LDAP Server 1 Friendly Name:	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...):	Disabled
LDAP Server 1 Validate Server Certificate...:	Disabled
SMTP:	
SMTP Server:	10.61.10.8:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
Max Message Size (KB):	10240
Number of Fragments:	1
Total Job Size (KB):	300000
Job Splitting Boundary:	Page Boundary
Credentials for Auto E-mails:	None
Credentials for Walkup User:	None
SMTP Authentication Type:	Basic Auth with SMTP
POP3:	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
POP3 Validate Server Certificate:	
Receipt of E-mail via POP3:	Disabled
Send Confirm on Request:	Enabled
Incoming E-mail cover sheet:	Enabled
NTS:	Disabled
Primary Server:	[2403:0:22b:4::14d:38b3:33b:477a]:123
Alternate Server:	[2403:0:22b:4::39f0:35cde8a8:3087]:123
SLP:	Disabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled
WS-Discovery:	Enabled
WS-Discovery Multicast:	Enabled
WS-Print:	Enabled
WS-Scan:	Enabled
Web Services:	
Copy Submission:	Enabled
Digital Certificate Management and Securi...:	Enabled
Extensible Service Registration:	Enabled
Job Limits:	Enabled
Job Management Extension:	Enabled
Device Configuration:	Enabled
Scan Submission:	Enabled
Scan Workflow Management:	Enabled
Session Data:	Enabled
User Interface Configuration:	Enabled
EDP Proxy Configuration:	Enabled
Xerox Secure Access:	Disabled
EDP SNMP Configuration:	Enabled
Print Submission:	Enabled
Scan Template Mgmt:	Enabled
Mass Storage Access:	Enabled
Card Reader Access:	Enabled
Authentication & Accounting Configur...:	Enabled
Export Audit Log:	Enabled
Trellix Embedded Control:	Enabled

Printing

Banner Sheet:	Disabled
Sys/Start Job:	Disabled
Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
Default Copies:	1
Default Job Type:	Normal Print
Default Paper Size:	x=210mm, y=297mm
Default Paper Color:	White
Default 2 Sided Printing:	2 Sided
Default Output Tray:	Center Tray
Default Output Color:	Black & White
Default Colored Sets:	Enabled
Default Stapling:	Not Available
Offsetting Between Jobs:	No Offset Between Jobs
Archival Marking Mode:	Off
PostScript:	Installed
Level:	3
Version:	3021.101
Image Quality:	Enhanced
PCL:	
Version:	6
Pitch Size:	10.00
Point Size:	12.00
Font Name:	Courier
Lines Per Page:	64
Custom Color Tables:	Enabled
Label:	Not Installed
Fax:	Disabled
Fax Line1:	
Fax Line2:	
Server Fax:	Enabled
Confirmation Sheet:	On
Delay Start:	Disabled
Repository Protocol:	FTP
Repository Server:	Exchange.GDCIPV6.com:21
Repository Document Path:	/
Workflow Scanning:	Enabled
Confirmation Sheet:	On
Default Repository Protocol:	SMB
Default Repository Server:	10.61.23.93:445
Default Repository Document Path:	/
Default Repository Login Credentials:	Device
Alt1 Repository Protocol:	SMB
Alt1 Repository Server:	0.0.0.0
Alt1 Repository Document Path:	
Alt1 Repository Login Credentials:	Device
Workflow Pool Protocol:	SMB
Workflow Pool Server:	0.0.0.0
Workflow Pool Path:	
Email:	Enabled
Default From Address:	syed.habibunnisa@xeroxqa.com
Confirmation Sheet:	On
Auto Send to Self:	Disabled
E-mail Security:	Disabled
Scan to Mailbox:	Enabled
View Mailboxes by Default:	Enabled
Storage Capacity (MB):	672 MB
Storage Used (MB):	51 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily
Scan to Home:	Disabled
Friendly Name:	
Workflow Name:	
Auto Create Subdir:	Disabled
Append User Name to Path:	Disabled
Auto Create User Name Dir:	Disabled
Scan To:	Enabled
Cloud Service:	Disabled
Print From:	Enabled
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Service:	Disabled

Accounting

Accounting Mode: None
Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device
Home: Unlocked
Jobs: Unlocked
Device: Unlocked
Device Website Authentication: Locally on the Device
Authorization: Locally on the Device
Retrieve E-mail from LDAP: Enabled
Authentication Server: Kerberos

Kerberos Primary Realm:
Kerberos Primary Address: 0.0.0.0:88
Kerberos Alt 1 Realm:
Kerberos Alt 1 Address: 0.0.0.0:88
SMB NT Domain:
SMB Alt 1 NT Domain:
Smartcard Ctrl Server: 0.0.0.0:443
Smartcard Ctrl Domain:
SmartCard OCSP URL:
Card Reader Upgrade Policy: Enabled
Card Reader Firmware Version:

Xerox Secure Access: Disabled
Secure Access Server: 0.0.0.0:443
Secure Access Path:

Audit Log: Enabled
IP Sec: Disabled
IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed
Root Certificates Installed: 64
802.1x: Disabled

Job Data Removal: Disabled
Scheduled:
Scheduled Frequency:

FIPS 140-3: Disabled

TLS: TLS 1.1 and TLS 1.2
SHA-1, SHA-256 and above
Trellix Embedded Control: Enhanced Security

Extensible Service Setup

Thin Client Generation Browser: X3G_3.24.23_2.40.5_012_01.00.00
Widget Version: v1.3.17 c8 20140613
Widget Version: v2.5.04 g9 20240123

