

## Common User Data

Machine Name:	Xerox VersaLink C625 Color MFP (52:E...
IPv4 Address:	10.61.15.14
Machine Serial Number:	3322480468
Fax Line1:	
Machine URL:	https://10.61.15.14
Machine Activation Date:	Jan 01, 1970 05:30:00
Black Impressions:	694
Color Impressions:	234
Total Impressions:	928

## Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
Recycling Phone Number:	
System Administrator:	Not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

## Machine Hardware

Fax Card:	Not Present
Fax Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	3904 MB
Device Storage Size:	used=3232MB/total=13925MB (eMMC)
EPC Memory Size:	187 MB
Productivity Kit:	Not Installed
Finisher Type:	Simple Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

## General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	20:48
Xerox Workplace Cloud	Enabled
E-mail Alerts:	Disabled
Service Plan:	Sold
Geographic Region:	unknown
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
File Sharing	Enabled
JBIG2	Lossless

## Energy Saver

Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated
Smart Proximity Sensor	Not Available
Wake on Arrival:	
Sleep on Departure:	

## Software Versions

Device Software:	123.024.005.26700
Patch Version:	None
Network Controller:	123.024.26700
UI Panel Firmware:	6.2
Marking Engine:	237.003
Document Feeder:	237.003
Finisher:	000.000.000
ax:	000.000.000
Scanner:	237.003
Machine Upgrades:	Not Allowed
Last Successful Upgrade:	

## Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Plain, White and A4 (210 x 297 mm)

## Installed Options

5:	Installed
----	-----------

## Connectivity

## Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication Required:	Disabled

## Physical Connections

USB Settings	
USB Type A Ports	All Enabled
USB Type B Port	Enabled
Wired:	Enabled
Ethernet MAC Address:	76:ca:1b:52:e8:4a
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled

Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup™ (WPS) Name:	
Access Point (SSID):	
Show Password on Device Touch Screen:	

NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

## Protocols

TCP/IPv4:	Enabled
IPv4 Address:	10.61.15.14
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.15.1
Automatic Addressing:	DHCP
DHCP Server:	
DHCP Lease Expiration:	

BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	

## TCP/IPv6:

Link Local Address:	Enabled
Use Router Supplied Prefix:	fe80::74ca:1bff:fe52:e84a
Stateless Global Address 1:	Enabled
Stateless Global Address 2:	
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	fd00:0:2:115:2e10:ecacd7::b6e3
Default Gateway:	fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):	0003000176ca1b52e84a

## DNS Settings:

Requested Host Name:	XR76CA1B52E84A
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	

Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.16
Prefer IPv6 DNS over IPv4:	Enabled

## Bonjour:

Bonjour Printer Name:	Xerox VersaLink C625 Color MFP (52:E...
HTTP:	Enabled
Force Traffic over Secure Connection (H...	Yes
IPP:	Enabled

## SNMP

SNMP v1/v2:	Enabled
SNMP v3:	Disabled

## LPR/LPD:

Raw IP Printing:	Enabled
------------------	---------

## LDAP

LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...	Disabled
LDAP Server 1 Validate Server Certificate	Disabled

## SMTP

SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
SMTP Authentication Type:	Basic Auth with SMTP

## Common User Data

Machine Name:  
IPv4 Address: 10.61.15.14  
Machine Serial Number: 5322480468  
Fax Line1:  
Machine URL: https://10.61.15.14  
Machine Activation Date: Jan 01, 1970 05:30:00  
Black Impressions: 695  
Color Impressions: 235  
Total Impressions: 930

## Machine Profile

Xerox Asset Tag:  
Customer Asset Tag:  
Service Phone Number:  
Customer Support Number:  
Supplies Phone Number:  
Recycling Phone Number:  
System Administrator:  
Machine Location: Not set  
machine location not set  
Managed By:  
Primary MB Server:

## Machine Hardware

Fax Card: Not Present  
Fax Memory Size: 0 MB  
Foreign Interface Card: not present  
Device RAM Size: 3904 MB  
Device Storage Size: used=3234MB/total=13925MB (eMMC)  
EPC Memory Size: 187 MB  
Productivity Kit: Not Installed  
Finisher Type: Simple Catch Tray  
Finisher Punch: None  
Finisher Folder: not present  
Multi-feed Detection Kit: Not Installed

## General Setup

Remote Services: Enabled  
Remote Software Download: Enabled  
Remote Services Trans. Time: 20:48  
Xerox Workplace Cloud: Enabled  
E-mail Alerts: Disabled  
Service Plan: Sold  
Geographic Region: unknown  
Startup Config Report: Enabled  
GMT Offset: +05:30  
Cloning Installation: Allowed (Encrypted Files Only)  
Allow Print Submission of Clone Files: Disabled  
File Sharing: Enabled  
BIG2: Lossless

## Energy Saver

Deep Sleep: Enabled  
Energy Saver Mode: Job Activated  
Sleep Mode Timer: 120 minutes  
Auto-Off: Disabled

## Software Versions

Device Software: 123.024.005.26700  
Patch Version: None  
Network Controller: 123.024.26700  
I Panel Firmware: 6.2  
User Interface: 123.024.26700  
Marking Engine: 237.003  
Copy Controller: 123.024.26700  
Document Feeder: 237.003  
Finisher: 000.000.000  
Fax: 000.000.000  
Scanner: 237.003  
Printer: 237.003  
Firmware Upgrade: 006.001  
TBOOT Software Upgrade: 006.001  
Machine Upgrades: Not Allowed

## Machine Upgrades:

Most Successful Upgrade:  
Scheduled Auto Upgrades:  
Auto Upgrade Start Time:  
Auto Upgrade Server:

## Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)  
Tray 2: Plain, White and A4 (210 x 297 mm)

## Connectivity

## Mobile Workflows

AirPrint Printing: Enabled  
Mopria Printing: Enabled  
AirPrint / Mopria Scanning: Enabled  
Authentication Required: Disabled  
Universal Print: Disabled  
Universal Print Registration Status: Not Registered

## Physical Connections

USB Settings  
USB Type A Ports: All Enabled  
USB Type B Port: Enabled  
Connection Timeout: 5 seconds  
Wired: Enabled  
Ethernet MAC Address: 76:ca:1b:52:e8:4a  
Ethernet Speed/Duplex Setting: auto  
Wireless: Disabled

Wireless MAC Address:  
Network Name (SSID):  
BSSID:  
Security Mode:  
Encryption Algorithm:  
Status:  
Wi-Fi Direct: Enabled  
Wireless Hardware: Not Installed  
Wi-Fi Protected Setup™ (WPS) Name:  
Connection Method:  
Subnet Prefix Address:  
Access Point (SSID):  
Show Password on Device Touch Screen:  
NFC: Enabled  
iBeacon (Bluetooth®) for AirPrint Di...: Enabled  
iBeacon Hardware: Enabled  
Bluetooth Device Address: Not Installed  
iBeacon IP Address:

## Protocols

## TCP/IPV4:

IPv4 Address: Enabled  
Subnet Mask: 10.61.15.14  
Router/Gateway: 255.255.255.0  
Automatic Addressing: 10.61.15.1  
DHCP Server: DHCP

DHCP Lease Expiration:  
BOOTP Broadcast: Disabled  
Self Assigned Address State: Enabled  
Self Assigned Address:

## TCP/IPV6:

Link Local Address: Enabled  
Use Router Supplied Prefix: fe80::74ca:1bff:fe52:e84a  
Stateless Global Address 1: Enabled  
Stateless Global Address 2:  
Manual Address:  
DHCP Addressing: Use DHCP as directed by a router  
DHCP Address: fd00:0:2:115:2e10:ec0:cd7c:b6e3  
Default Gateway: fe80::8afc:5dff:fe75:e282  
DUID (DHCP Unique Identifier): 0003000176ca1b52e84a

## DNS Settings:

Requested Host Name:  
Verified Host Name: XRX76CA1B52E84A  
Requested Domain Name:  
Verified Domain Name:  
Multicast DNS: Enabled  
Release DHCP Leases and DNS Registrati...: Disabled  
Primary DNS Server: 10.61.7.16  
Alternate DNS Server 1: 10.61.10.6  
Alternate DNS Server 2: 10.61.7.15  
DNS Connection Timeout: 5  
Append Device Domain: Enabled  
Append Parent Domains: Disabled  
DNS Domain Search List: 10.61.10.6, 10.61.10.7, XEROXQA.COM  
Prefer IPv6 DNS over IPv4: Enabled

## Installed Options

IPS: Installed

**Accounting**

Accounting Mode: None  
Network Accounting: Disabled

**Security****Authentication Configuration**

Machine UI Authentication: Locally on the Device  
Home: Unlocked  
Jobs: Unlocked  
Device: Unlocked  
Device Website Authentication: Locally on the Device  
Authorization: Locally on the Device  
Retrieve E-mail from LDAP: Enabled  
Kerberos Primary Realm: Kerberos

**Authentication Server:**

Kerberos Primary Address: 0.0.0.0:88  
Kerberos Alt 1 Address: 0.0.0.0:88  
SMB NT Domain:  
SMB Alt 1 NT Domain:  
Smartcard Ctrl Server: 0.0.0.0:443  
Smartcard Ctrl Domain:  
SmartCard OCSP URL:  
Card Reader Upgrade Policy: Enabled  
Card Reader Firmware Version:

**Xerox Secure Access:**

Secure Access Server: Disabled  
Secure Access Path: 0.0.0.0:443

**Audit Log:**

Enabled

**IP Sec:**

Disabled

**IP Filtering:**

Disabled

**Security Certificates**

Machine Certificate: Signed  
Root Certificates Installed: 54

**802.1x:**

Disabled

**Job Data Removal:**

Scheduled: Disabled  
Scheduled Frequency:

**FIPS 140-3:**

Disabled

**TLS:**

TLS 1.2 and TLS 1.3  
SHA-1, SHA-256 and above  
Enhanced Security

**Trellix Embedded Control:****Extensible Service Setup**

Third Generation Browser: X3G\_3.24.23\_2.40.5\_012\_01.00.00  
Widget Version: v1.3.17 c8 20140613  
Widget Version: v2.5.04 g9 20240123