

Common User Data

Machine Name:	Xerox VersaLink B415 MFP (DC:B8:44)
Pv4 Address:	10.61.16.69
Machine Serial Number:	5330005345
Fax Line1:	
Machine URL:	https://10.61.16.69
Machine Activation Date:	Jul 10, 2025 18:17:28
Total Impressions:	9649

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
Recycling Phone Number:	
System Administrator:	Not set
Machine Location:	machine location not set

Managed By

Primary MB Server:

Machine Hardware

Fax Card:	Not Present
Fax Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	1984 MB
Device Storage Size:	used= 2744MB/total=1 4004MB (eMMC)
EPC Memory Size:	187 MB
Productivity Kit:	Not Installed
Finisher Type:	Simple Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	22:25
Xerox Workplace Cloud:	Enabled
E-mail Alerts:	Disabled
Service Plan:	Neutral
Geographic Region:	unknown
GMT Offset:	+05:30
Cloning Installation:	Allowed (Encrypted Files Only)
File Sharing:	Enabled
JBIG2:	Lossless

Energy Saver

Deep Sleep:	Disabled
Energy Saver Mode:	Job Activated
Smart Proximity Sensor:	Not Available

Smart Proximity Sensor

Wake on Arrival:	
Sleep on Departure:	

Software Versions

Device Software:	123.029.005.28100
Patch Version:	None
Network Controller:	123.029.28100
UI Panel Firmware:	6.2
Marking Engine:	237.004
Document Feeder:	237.004
Finisher:	000.000.000
Fax:	000.000.000
Scanner:	237.004
Machine Upgrades:	Allowed
Last Successful Upgrade:	October 13, 2025 19:15:42

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and Letter (8.5 x 11")
Tray 3:	Plain, White and Letter (8.5 x 11")
Tray 4:	Plain, White and Letter (8.5 x 11")
Bypass Tray:	Plain, White and A4 (210 x 297 mm)

Installed Options

PS:	Installed
-----	-----------

Connectivity

Mobile Workflows

AirPrint Printing:

Enabled

Mopria Printing:

Enabled

AirPrint / Mopria Scanning

Enabled

Authentication Required:

Disabled

Physical Connections

USB Settings

USB Type A Ports

Front Only Disabled

USB Type B Port

Disabled

Wired:

Ethernet MAC Address:

Enabled

Ethernet Speed/Duplex Setting:

78.8c:77:dc:b8:44

Wireless:

Wireless MAC Address:

auto

Network Name (SSID):

Disabled

BSSID:

Security Mode:

Encryption Algorithm:

Status:

auto

Wi-Fi Direct:

Wireless Hardware:

Enabled

Wi-Fi Protected Setup™ (WPS) Name:

Not Installed

Access Point (SSID):

Show Password on Device Touch Screen:

Disabled

NFC:

iBeacon (Bluetooth®) for AirPrint Di...

Disabled

iBeacon Hardware:

Enabled

Bluetooth Device Address:

Not Installed

iBeacon IP Address:

Protocols

TCP/IPV4:

IPv4 Address:	Enabled
Subnet Mask:	10.61.16.69
Router/Gateway:	255.255.255.0
Automatic Addressing:	10.61.16.1
DHCP Server:	DHCP
DHCP Lease Expiration:	
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	Disabled

TCP/IPV6:

Link Local Address:	
Use Router Supplied Prefix:	
Stateless Global Address 1:	
Stateless Global Address 2:	
Manual Address:	
DHCP Addressing:	
DHCP Address:	
Default Gateway:	
DUID (DHCP Unique Identifier):	

DNS Settings:

Requested Host Name:	XXR788C77DCB844
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.16
Prefer IPv6 DNS over IPv4:	Enabled

Bonjour:

Bonjour Printer Name: Xerox VersaLink B415 MFP (DC:B8:44)

HTTP:

Force Traffic over Secure Connection (H...	Enabled
IPP	Yes
	Enabled

SNMP

SNMP v1/v2:	Enabled
SNMP v3:	Disabled
LPR/LPD:	Enabled
Raw IP Printing:	Enabled

LDAP

LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...	Disabled
LDAP Server 1 Validate Server Certificate...	Disabled

SMTP

SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
SMTP Authentication Type:	Basic Auth with SMTP

<b>Protocols (cont.)</b>	
<b>POP3</b>	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
POP3 Validate Server Certificate:	
E-mail Address:	
<b>NTP:</b>	Disabled
<b>FTP Client:</b>	Enabled
FTP Client Mode:	Passive
<b>Web Services on Device:</b>	Enabled
<b>Apps</b>	
<b>Printing</b>	
Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
<b>Archival Marking Mode</b>	Off
<b>PostScript</b>	Installed
Level:	3
Version:	3021.101
<b>PCL</b>	
Version:	6
Font Name:	Courier
<b>Custom Color Tables</b>	Enabled
Label:	Not Installed
<b>Fax:</b>	Not Present
Fax Line1:	
Fax Line2:	
<b>Server Fax:</b>	Enabled
Repository Protocol:	SMB
Repository Server:	0.0.0.0:0
Repository Document Path:	
<b>Workflow Scanning:</b>	Enabled
<b>Email:</b>	Enabled
<b>Scan to Mailbox:</b>	Disabled
Storage Capacity (MB):	672 MB
Storage Used (MB):	49 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily
<b>Scan to Home:</b>	Disabled
<b>Scan To:</b>	Enabled
Cloud Services:	Disabled
<b>Print From:</b>	Enabled
Saved Jobs for Reprint:	Enabled
Print from USB:	Enabled
Print from MailBox:	Disabled
Cloud Services:	Disabled
<b>Accounting</b>	
Accounting Mode:	None
Network Accounting:	Disabled
<b>Security</b>	
<b>Authentication Configuration</b>	
<b>Machine UI Authentication:</b>	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled
<b>Authentication Server:</b>	Kerberos
<b>Xerox Secure Access:</b>	Disabled
<b>Audit Log:</b>	Enabled
<b>IP Sec:</b>	Disabled
<b>IP Filtering:</b>	Disabled
<b>Security Certificates</b>	
Machine Certificate:	Signed
Root Certificates Installed:	48
<b>802.1x:</b>	Disabled
<b>Job Data Removal:</b>	
Scheduled:	Disabled
<b>FIPS 140-3:</b>	Disabled
<b>TLS:</b>	TLS 1.2 and TLS 1.3
TLS Hash:	SHA-1, SHA-256 and above
<b>Trellix Embedded Control:</b>	Enhanced Security

Common User Data

Machine Name: Xerox VersaLink B415 MFP (DC:B8:44)  
Pv4 Address: 10.61.16.69  
Machine Serial Number: 5330005345  
Fax Line1: https://10.61.16.69  
Machine URL: Jul 10, 2025 18:17:28  
Machine Activation Date: 9649  
Total Impressions:

Machine Profile

Xerox Asset Tag:  
Customer Asset Tag:  
Service Phone Number:  
Customer Support Number:  
Supplies Phone Number:  
Recycling Phone Number:  
System Administrator: Not set  
Machine Location: machine location not set  
Managed By  
Primary MB Server:

Machine Hardware

Fax Card: Not Present  
Fax Memory Size: 0 MB  
Foreign Interface Card: not present  
Device RAM Size: 1984 MB  
Device Storage Size: used=2744MB/total=0MB (eMMC)  
EPC Memory Size: 187 MB  
Productivity Kit: Not Installed  
Finisher Type: Simple Catch Tray  
Finisher Punch: None  
Finisher Folder: not present  
Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled  
Remote Software Download: Enabled  
Remote Services Trans. Time: 22:25  
Xerox Workplace Cloud: Enabled  
E-mail Alerts: Disabled  
Service Plan: Neutral  
Geographic Region: unknown  
Startup Config Report: Enabled  
GMT Offset: +05:30  
Cloning Installation: Allowed (Encrypted Files Only)  
Allow Print Submission of Clone Files: Enabled  
File Sharing: Enabled  
JBIG2: Lossless

Energy Saver

Deep Sleep: Disabled  
Energy Saver Mode: Job Activated  
Sleep Mode Timer: 120 minutes  
Auto-Off: Disabled

Software Versions

Device Software: 123.029.005.28100  
Patch Version: None  
Network Controller: 123.029.28100  
UI Panel Firmware: 6.2  
User Interface: 123.029.28100  
Marking Engine: 237.004  
Copy Controller: 123.029.28100  
Document Feeder: 237.004  
Finisher: 000.000.000  
Fax: 000.000.000  
OS: 237.004  
Scanner: 237.004  
Software Upgrade: 006.001  
ALTB00T Software Upgrade: 006.001  
Tray 2: A19.1\_B3.1  
Tray 3: A19.1\_B3.1  
Tray 4: A19.1\_B3.1

Machine Upgrades:

Last Successful Upgrade: Allowed  
Scheduled Auto Upgrades: October 13, 2025 19:15:42  
Auto Upgrade Start Time: Disabled  
Auto Upgrade Server: Daily  
0.0.0.0:21

Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)  
Tray 2: Plain, White and Letter (8.5 x 11")  
Tray 3: Plain, White and Letter (8.5 x 11")  
Tray 4: Plain, White and Letter (8.5 x 11")  
Bypass Tray: Plain, White and A4 (210 x 297 mm)

Connectivity

Mobile Workflows

AirPrint Printing: Enabled  
Mopria Printing: Enabled  
AirPrint / Mopria Scanning: Enabled  
Authentication Required: Disabled  
Universal Print: Disabled  
Universal Print Registration Status: Not Registered

Physical Connections

USB Settings

USB Type A Ports: Front Only Disabled  
USB Type B Port: Disabled

Wired:

Ethernet MAC Address: 78:8c:77:dc:b8:44  
Ethernet Speed/Duplex Setting: auto  
Disabled

Wireless:

Wireless MAC Address:  
Network Name (SSID):  
BSSID:  
Security Mode:  
Encryption Algorithm:  
Status: Enabled  
Not Installed

Wi-Fi Direct:

Wireless Hardware:  
Wi-Fi Protected Setup™ (WPS) Name:  
Connection Method:  
Subnet Prefix Address:  
Access Point (SSID):  
Show Password on Device Touch Screen:

NFC:

iBeacon (Bluetooth®) for AirPrint Di... Disabled  
iBeacon Hardware: Enabled  
Bluetooth Device Address: Not Installed  
iBeacon IP Address:

Protocols

TCP/IPv4:

IPv4 Address: Enabled  
Subnet Mask: 10.61.16.69  
Router/Gateway: 255.255.255.0  
Automatic Addressing: 10.61.16.1  
DHCP Server: DHCP  
DHCP Lease Expiration:

BOOTP Broadcast: Disabled  
Self Assigned Address State: Enabled  
Self Assigned Address:

TCP/IPv6:

Link Local Address:  
Use Router Supplied Prefix:  
Stateless Global Address 1:  
Stateless Global Address 2:  
Manual Address:  
DHCP Addressing:  
DHCP Address:  
Default Gateway:  
DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name: XR788C77DCB844  
Verified Host Name:  
Requested Domain Name:  
Verified Domain Name:  
Multicast DNS: Enabled  
Release DHCP Leases and DNS Registrati... Disabled  
Primary DNS Server: 10.61.7.16  
Alternate DNS Server 1: 10.61.10.6  
Alternate DNS Server 2: 10.61.7.15  
DNS Connection Timeout: 5  
Append Device Domain: Enabled  
Append Parent Domains: Disabled  
DNS Domain Search List: XEROXQA.COM.  
Prefer IPv6 DNS over IPv4: Enabled

Installed Options

PS: Installed

Protocols (cont.)

<b>Bonjour</b>	
Bonjour Printer Name:	Xerox VersaLink B415 MFP (DC:88:44)
<b>HTTP:</b>	
Port Number:	80
Force Traffic over Secure Connection (H...):	Yes
Secure HTTP Port Number:	443
Proxy Server:	Automatic
Proxy Server Address:	0.0.0.0:8080
IPP:	Enabled
Secure IPP Mode:	IPP and Secure IPPS
IPP Network Path:	http://10.61.16.69:631
<b>SNMP</b>	
SNMP v1/v2:	Enabled
SNMP v3:	Disabled
<b>LPR/LPD:</b>	
Port Number:	515
PDL Switching:	Disabled
PDL Banner Override:	Disabled
<b>Raw IP Printing:</b>	
Port Number 1:	9100
Bidirectional:	Disabled
End of Job Timeout:	300
PDL Switching:	Disabled
<b>LDAP</b>	
LDAP Server 1 Friendly Name:	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...):	Disabled
LDAP Server 1 Validate Server Certificate...:	Disabled
<b>SMTP</b>	
SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
Max Message Size (KB):	10240
Number of Fragments:	1
Total Job Size (KB):	300000
Job Splitting Boundary:	Page Boundary
Credentials for Auto E-mails:	None
Credentials for Walkup User:	None
SMTP Authentication Type:	Basic Auth with SMTP
<b>POP3</b>	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
POP3 Validate Server Certificate:	
Receipt of E-mail via POP3:	Disabled
Send Confirm on Request:	Enabled
Incoming E-mail cover sheet:	Enabled
<b>NTP:</b>	
Primary Server:	[2403:0:22b:4:a14d:38b3:33b:477a]:123
Alternate Server:	[2403:0:22b:4:39f0:35cd:e8a8:3087]:123
<b>SLP:</b>	
Disabled	
<b>FTP Client:</b>	
FTP Client Mode:	Passive
<b>Web Services on Device:</b>	
WS-Discovery:	Enabled
WS-Discovery Multicast:	Enabled
WS-Print:	Enabled
WS-Scan:	Enabled
<b>Web Services</b>	
Copy Submission:	Enabled
Digital Certificate Management and Securi...:	Enabled
Extensible Service Registration:	Enabled
Job Limits:	Enabled
Job Management Extension:	Enabled
Device Configuration:	Enabled
Scan Submission:	Enabled
Scan Workflow Management:	Enabled
Session Data:	Enabled
User Interface Configuration:	Enabled
EIP Proxy Configuration:	Enabled
Xerox Secure Access:	Disabled
EIP SNMP Configuration:	Enabled
Print Submission:	Enabled
Scan Template Mgmt:	Enabled
Mps Storage Access:	Enabled
Card Reader Access:	Enabled
Authentication & Accounting Configur...:	Enabled
Export Audit Log:	Enabled
Trellix Embedded Control:	Enabled

Apps

<b>Printing</b>	
Banner Sheet:	Enabled
Sys/Start Job:	Disabled
Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
Default Copies:	1
Default Job Type:	Normal Print
Default Paper Size:	x=8.50 inches, y=11.00 inches
Default Paper Color:	White
Default 2 Sided Printing:	2 Sided
Default Output Tray:	Center Tray
Default Output Color:	Black & White
Default Collated Sets:	Enabled
Default Stapling:	Not Available
Offsetting Between Jobs:	No Offset Between Jobs
<b>Archival Marking Mode</b>	
Off:	Off
<b>PostScript</b>	
Installed:	Installed
Level:	3
Version:	3021.101
Image Quality:	Enhanced
<b>PCL</b>	
Version:	6
Pitch Size:	10.00
Point Size:	12.00
Font Name:	Courier
Lines Per Page:	60
<b>Custom Color Tables</b>	
Enabled:	Enabled
Label:	Not Installed
<b>Fax:</b>	
Fax Line1:	Not Present
Fax Line2:	
<b>Server Fax:</b>	
Confirmation Sheet:	Enabled
Delay Start:	Errors Only
Repository Protocol:	Disabled
Repository Server:	SMB
Repository Document Path:	0.0.0.0:0
<b>Workflow Scanning:</b>	
Confirmation Sheet:	Enabled
Errors Only:	Errors Only
Default Repository Protocol:	SMB
Default Repository Server:	0.0.0.0:0
Default Repository Document Path:	
Default Repository Login Credentials:	Device
Alt1 Repository Protocol:	SMB
Alt1 Repository Server:	0.0.0.0:0
Alt1 Repository Document Path:	
Alt1 Repository Login Credentials:	Device
Workflow Pool Protocol:	SMB
Workflow Pool Server:	0.0.0.0:0
Workflow Pool Path:	
<b>Email:</b>	
Enabled:	Enabled
Default From Address:	
Confirmation Sheet:	Errors Only
Auto Send to Self:	Disabled
E-mail Security:	Disabled
<b>Scan to Mailbox:</b>	
View Mailboxes by Default:	Disabled
Storage Capacity (MB):	Enabled
Storage Used (MB):	672 MB
Cleanup of Public Folders:	49 MB
Cleanup of Created Folders:	Enabled
Cleanup Time:	Enabled
<b>Scan to Home:</b>	
Disabled:	Disabled
Friendly Name:	
Workflow Name:	
Auto Create Subdir:	Disabled
Append User Name to Path:	Disabled
Auto Create User Name Dir:	Disabled
<b>Scan To:</b>	
Enabled:	Enabled
Cloud Services:	Disabled
<b>Print From:</b>	
Enabled:	Enabled
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled

Accounting

Accounting Mode: None  
Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device  
Home: Unlocked  
Jobs: Unlocked  
Device: Unlocked  
Device Website Authentication: Locally on the Device  
Authorization: Locally on the Device  
Retrieve E-mail from LDAP: Enabled  
Authentication Server: Kerberos

Authentication Server:

Kerberos Primary Realm:  
Kerberos Primary Address: 0.0.0.0:88  
Kerberos Alt 1 Realm:  
Kerberos Alt 1 Address: 0.0.0.0:88  
SMB NT Domain:  
SMB Alt 1 NT Domain:  
Smartcard Ctrl Server: 0.0.0.0:443  
Smartcard Ctrl Domain:  
SmartCard OCSP URL:  
Card Reader Upgrade Policy: Enabled  
Card Reader Firmware Version:

Xerox Secure Access:

Secure Access Server: Disabled  
Secure Access Path: 0.0.0.0:443

Audit Log:

IP Sec: Disabled  
IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed  
Root Certificates Installed: 48  
802.1x: Disabled

Job Data Removal:


Scheduled: Disabled  
Scheduled Frequency:

FIPS 140-3:

TLS: TLS 1.2 and TLS 1.3  
SHA-1, SHA-256 and above  
Trellix Embedded Control: Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G\_3.24.23\_2.40.5\_012\_01.00.00  
Widget Version: v1.3.17 c8 20140613  
Widget Version: v2.5.04 g9 20240123





Common User Data

Machine Name:	Xerox VersaLink B415 MFP (DC:B8:44)
IPv4 Address:	10.61.16.69
Machine Serial Number:	5330005345
Fax Line1:	
Machine URL:	https://10.61.16.69
Machine Activation Date:	Jul 10, 2025 18:17:28
Total Impressions:	9644

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
Recycling Phone Number:	
System Administrator:	Not set
Machine Location:	machine location not set

Managed By

Primary MB Server:

Machine Hardware

Fax Card:	Not Present
Fax Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	1984 MB
Device Storage Size:	used=2743MB/total=14004MB (eMMC)
EPC Memory Size:	187 MB
Productivity Kit:	Not Installed
Finisher Type:	Simple Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	22:25
Xerox Workplace Cloud	Enabled
E-mail Alerts:	Disabled
Service Plan:	Neutral
Geographic Region:	unknown
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
File Sharing	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Disabled
Energy Saver Mode:	Job Activated

Smart Proximity Sensor

Wake on Arrival:	
Sleep on Departure:	

Software Versions

Device Software:	123.029.005.28100
Patch Version:	None
Network Controller:	123.029.28100
UI Panel Firmware:	6.2
Marking Engine:	237.004
Document Feeder:	237.004
Finisher:	000.000.000
Fax:	000.000.000
Scanner:	237.004
Machine Upgrades:	Allowed
Last Successful Upgrade:	October 13, 2025 19:15:42

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and Letter (8.5 x 11")
Tray 3:	Plain, White and Letter (8.5 x 11")
Tray 4:	Plain, White and Letter (8.5 x 11")
Bypass Tray:	Plain, White and A4 (210 x 297 mm)

Installed Options

PS:	Installed
-----	-----------

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication Required:	Disabled

Physical Connections

USB Settings	
USB Type A Ports	Rear Only Disabled
USB Type B Port	Disabled

Wired:

Ethernet MAC Address:	Enabled
Ethernet Speed/Duplex Setting:	78:8c:77:dc:b8:44 auto

Wireless:

Wireless MAC Address:	
Network Name (SSID):	Disabled
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	

Wi-Fi Direct:

Wireless Hardware:	Enabled
Wi-Fi Protected Setup™ (WPS) Name:	Not Installed

Access Point (SSID):	
Show Password on Device Touch Screen:	

NFC:

iBeacon (Bluetooth®) for AirPrint Di...	Disabled
iBeacon Hardware:	Enabled
Bluetooth Device Address:	Not Installed
iBeacon IP Address:	

Protocols

TCP/IPv4:

IPv4 Address:	Enabled
Subnet Mask:	10.61.16.69
Router/Gateway:	255.255.255.0
Automatic Addressing:	10.61.16.1
DHCP Server:	DHCP

DHCP Lease Expiration:

BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	

TCP/IPv6:

Link Local Address:	Disabled
Use Router Supplied Prefix:	
Stateless Global Address 1:	
Stateless Global Address 2:	
Manual Address:	
DHCP Addressing:	
DHCP Address:	
Default Gateway:	
DUID (DHCP Unique Identifier):	

DNS Settings:

Requested Host Name:	XR788C77DCB844
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.16
Prefer IPv6 DNS over IPv4:	Enabled

Bonjour:

Bonjour Printer Name:	Xerox VersaLink B415 MFP (DC:B8:44)
-----------------------	-------------------------------------

HTTP:

Force Traffic over Secure Connection (H...	Enabled
IPP	Yes
	Enabled

SNMP

SNMP v1/v2:	Enabled
SNMP v3:	Disabled

LPR/LPD:

Raw IP Printing:	Enabled
------------------	---------

LDAP

LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...	Disabled
LDAP Server 1 Validate Server Certificate...	Disabled

SMTP

SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
SMTP Authentication Type:	Basic Auth with SMTP

Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
POP3 Validate Server Certificate:	
E-mail Address:	
NTP:	Disabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled

pps

Printing	
Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
Archival Marking Mode	Off
PostScript	Installed
Level:	3
Version:	3021.101
PCL	
Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed
Fax:	Not Present

Fax Line1:	
Fax Line2:	

Server Fax:	Enabled
Repository Protocol:	SMB
Repository Server:	0.0.0.0:0
Repository Document Path:	

Workflow Scanning:	Enabled
--------------------	---------

Email:	Enabled
--------	---------

Scan to Mailbox:	Disabled
Storage Capacity (MB):	672 MB
Storage Used (MB):	49 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

Scan to Home:	Disabled
---------------	----------

Scan To:	Enabled
Cloud Services:	Disabled

Print From:	Enabled
Saved Jobs for Reprint:	Enabled
Print from USB:	Enabled
Print from MailBox:	Disabled
Cloud Services:	Disabled

ccounting

Accounting Mode:	None
Network Accounting:	Disabled

ecurity

Authentication Configuration

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled

Authentication Server:	Kerberos
------------------------	----------

Xerox Secure Access:	Disabled
----------------------	----------

Audit Log:	Enabled
------------	---------

IP Sec:	Disabled
---------	----------

IP Filtering:	Disabled
---------------	----------

Security Certificates

Machine Certificate:	Signed
Root Certificates Installed:	48
802.1x:	Disabled

Job Data Removal:	
-------------------	--

Scheduled:	Disabled
------------	----------

FIPS 140-3:	Disabled
-------------	----------

TLS:	TLS 1.2 and TLS 1.3
------	---------------------

TLS Hash:	SHA-1, SHA-256 and above
-----------	--------------------------

Trellix Embedded Control:	Enhanced Security
---------------------------	-------------------



Common User Data

Machine Name:	Xerox VersaLink B415 MFP (DC:B8:44)
Pv4 Address:	10.61.16.69
Machine Serial Number:	5330005345
Fax Line1:	
Machine URL:	https://10.61.16.69
Machine Activation Date:	Jul 10, 2025 18:17:28
Total Impressions:	9644

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
Recycling Phone Number:	
System Administrator:	Not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

Machine Hardware

Fax Card:	Not Present
Fax Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	1984 MB
Device Storage Size:	used=2743MB/total=0MB (eMMC)
EPC Memory Size:	187 MB
Productivity Kit:	Not Installed
Finisher Type:	Simple Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	22:25
Xerox Workplace Cloud	Enabled
E-mail Alerts:	Disabled
Service Plan:	Neutral
Geographic Region:	unknown
Startup Config Report:	Enabled
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Enabled
File Sharing	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Disabled
Energy Save Mode:	Job Activated
Sleep Mode Timer:	120 minutes
Auto-Off:	Disabled

Software Versions

Device Software:	123.029.005.28100
Patch Version:	None
Network Controller:	123.029.28100
UI Panel Firmware:	6.2
User Interface:	123.029.28100
Marking Engine:	237.004
Copy Controller:	123.029.28100
Document Feeder:	237.004
Finisher:	000.000.000
Fax:	000.000.000
OS:	237.004
Scanner:	237.004
Software Upgrade:	006.001
ALTB00T Software Upgrade:	006.001
Tray 2:	A19.1_B3.1
Tray 3:	A19.1_B3.1
Tray 4:	A19.1_B3.1

Machine Upgrades:

Last Successful Upgrade:	October 13, 2025 19:15:42
Scheduled Auto Upgrades:	Disabled
Auto Upgrade Start Time:	Daily
Auto Upgrade Server:	0.0.0.0:21

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and Letter (8.5 x 11")
Tray 3:	Plain, White and Letter (8.5 x 11")
Tray 4:	Plain, White and Letter (8.5 x 11")
Bypass Tray:	Plain, White and A4 (210 x 297 mm)

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication Required:	Disabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered

Physical Connections

USB Settings	
USB Type A Ports	Rear Only Disabled
USB Type B Port	Disabled
Wired:	Enabled
Ethernet MAC Address:	78:8c:77:dc:b8:44
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled

Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup <sup>™</sup> (WPS) Name:	
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Disabled
iBeacon (Bluetooth <sup>®</sup> ) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPV4:	Enabled
IPv4 Address:	10.61.16.69
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.16.1
Automatic Addressing:	DHCP
DHCP Server:	
DHCP Lease Expiration:	
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	

TCP/IPV6:

Link Local Address:	
Use Router Supplied Prefix:	
Stateless Global Address 1:	
Stateless Global Address 2:	
Manual Address:	
DHCP Addressing:	
DHCP Address:	
Default Gateway:	
DUID (DHCP Unique Identifier):	

DNS Settings:

Requested Host Name:	XRX788C77DCB844
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.16
Alternate DNS Server 1:	10.61.10.6
Alternate DNS Server 2:	10.61.7.15
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	XEROXQA.COM.
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

PS:	Installed
-----	-----------

Protocols (cont.)

<b>Bonjour:</b>	
Bonjour Printer Name:	Xerox VersaLink B415 MFP (DC:B8:44)
<b>HTTP:</b>	
Port Number:	Enabled
Force Traffic over Secure Connection (H...):	80
Secure HTTP Port Number:	Yes
Proxy Server:	443
Proxy Server Address:	Automatic
IPP:	0.0.0.0:8080
Secure IPP Mode:	Enabled
IPP Network Path:	IPP and Secure IPPS
<b>SNMP:</b>	
SNMP v1/v2:	http://10.61.16.69:631
SNMP v3:	Enabled
<b>LPR/LPD:</b>	
Port Number:	Disabled
PDL Switching:	Enabled
PDL Banner Override:	515
<b>Raw IP Printing:</b>	
Port Number 1:	Disabled
Bidirectional:	Disabled
End of Job Timeout:	Enabled
PDL Switching:	9100
<b>LDAP:</b>	
LDAP Server 1 Friendly Name:	Disabled
LDAP Server 1 Primary LDAP Addr:	0.0.0.0:389
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...):	Disabled
LDAP Server 1 Validate Server Certificate...	Disabled
<b>SMTP:</b>	
SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
Max Message Size (KB):	10240
Number of Fragments:	1
Total Job Size (KB):	300000
Job Splitting Boundary:	Page Boundary
Credentials for Auto E-mails:	None
Credentials for Walkup User:	None
SMTP Authentication Type:	Basic Auth with SMTP
<b>POP3:</b>	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
POP3 Validate Server Certificate:	
Receipt of E-mail via POP3:	Disabled
Send Confirm on Request:	Enabled
Incoming E-mail cover sheet:	Enabled
<b>NTP:</b>	
Primary Server:	Disabled
Alternate Server:	[2403:0:22b:4:a14d:38b3:33b:477a]:123
<b>SLP:</b>	
FTP Client:	[2403:0:22b:4:39f0:35cde8a8:3087]:123
FTP Client Mode:	Disabled
<b>Web Services on Device:</b>	
WS-Discovery:	Enabled
WS-Discovery Multicast:	Enabled
WS-Print:	Enabled
WS-Scan:	Enabled
<b>Web Services:</b>	
Copy Submission:	Enabled
Digital Certificate Management and Securi...	Enabled
Extensible Service Registration:	Enabled
Job Limits:	Enabled
Job Management Extension:	Enabled
Device Configuration:	Enabled
Scan Submission:	Enabled
Scan Workflow Management:	Enabled
Session Data:	Enabled
User Interface Configuration:	Enabled
EIP Proxy Configuration:	Enabled
Xerox Secure Access:	Disabled
EIP SNMP Configuration:	Enabled
Print Submission:	Enabled
Scan Template Mgmt:	Enabled
Mass Storage Access:	Enabled
Card Reader Access:	Enabled
Authentication & Accounting Configur...	Enabled
Export Audit Log:	Enabled
Trellix Embedded Control:	Enabled

Apps

<b>Printing</b>	
Banner Sheet:	Enabled
Sys/Start Job:	Disabled
Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
Default Copies:	1
Default Job Type:	Normal Print
Default Paper Size:	x=8.50 inches, y=11.00 inches
Default Paper Color:	White
Default 2 Sided Printing:	2 Sided
Default Output Tray:	Center Tray
Default Output Color:	Black & White
Default Collated Sets:	Enabled
Default Stapling:	Not Available
Offsetting Between Jobs:	No Offset Between Jobs
<b>Archival Marking Mode</b>	
PostScript	Off
Level:	Installed
Version:	3
Image Quality:	3021.101
<b>PCL</b>	
Version:	Enhanced
Pitch Size:	6
Point Size:	10.00
Font Name:	12.00
Lines Per Page:	Courier
<b>Custom Color Tables</b>	
Label:	60
<b>Fax:</b>	
Fax Line1:	Enabled
Fax Line2:	Not Installed
<b>Server Fax:</b>	
Confirmation Sheet:	Not Present
Delay Start:	
Repository Protocol:	Errors Only
Repository Server:	Disabled
Repository Document Path:	SMB
<b>Workflow Scanning:</b>	
Confirmation Sheet:	0.0.0.0:0
Default Repository Protocol:	Enabled
Default Repository Server:	Errors Only
Default Repository Document Path:	SMB
Default Repository Login Credentials:	0.0.0.0:0
Alt1 Repository Protocol:	Device
Alt1 Repository Server:	SMB
Alt1 Repository Document Path:	0.0.0.0:0
Alt1 Repository Login Credentials:	
Workflow Pool Protocol:	Device
Workflow Pool Server:	SMB
Workflow Pool Path:	0.0.0.0:0
<b>Email:</b>	
Default From Address:	Enabled
Confirmation Sheet:	
Auto Send to Self:	Errors Only
E-mail Security:	Disabled
<b>Scan to Mailbox:</b>	
View Mailboxes by Default:	Disabled
Storage Capacity (MB):	Enabled
Storage Used (MB):	Enabled
Cleanup of Public Folders:	672 MB
Cleanup of Created Folders:	49 MB
Cleanup Time:	Enabled
<b>Scan to Home:</b>	
Friendly Name:	Enabled
Workflow Name:	Disabled
Auto Create Subdir:	Disabled
Append User Name to Path:	Disabled
Auto Create User Name Dir:	Disabled
<b>Scan To:</b>	
Cloud Services:	Enabled
<b>Print From:</b>	
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Enabled
Cloud Services:	Disabled

Accounting

Accounting Mode: None  
Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device  
Home: Unlocked  
Jobs: Unlocked  
Device: Unlocked  
Device Website Authentication: Locally on the Device  
Authorization: Locally on the Device  
Retrieve E-mail from LDAP: Enabled  
Authentication Server: Kerberos

Kerberos Primary Realm:  
Kerberos Primary Address: 0.0.0.0:88  
Kerberos Alt 1 Realm:  
Kerberos Alt 1 Address: 0.0.0.0:88  
SMB NT Domain:  
SMB Alt 1 NT Domain:  
Smartcard Ctrl Server: 0.0.0.0:443  
Smartcard Ctrl Domain:  
SmartCard OCSP URL:  
Card Reader Upgrade Policy: Enabled  
Card Reader Firmware Version:

Xerox Secure Access: Disabled  
Secure Access Server: 0.0.0.0:443  
Secure Access Path:

Audit Log: Enabled  
IP Sec: Disabled  
IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed  
Root Certificates Installed: 48  
802.1x: Disabled

Job Data Removal:  
Scheduled: Disabled  
Scheduled Frequency:

FIPS 140-3: Disabled  
TLS: TLS 1.2 and TLS 1.3  
TLS Hash: SHA-1, SHA-256 and above  
Trellix Embedded Control: Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G\_3.24.23\_2.40.5\_012\_01.00.00  
Widget Version: v1.3.17 c8 20140613  
Widget Version: v2.5.04 g9 20240123

