

Common User Data

Machine Name:	Xerox VersaLink B625 MFP (AC:17:78)
IPv4 Address:	10.61.16.29
Machine Serial Number:	5321605321
Fax Line1:	
Machine URL:	https://10.61.16.29
Machine Activation Date:	Apr 30, 2025 11:40:33
Total Impressions:	9291

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
Recycling Phone Number:	
System Administrator:	Not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

Machine Hardware

Fax Card:	Not Present
Fax Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	3904 MB
Device Storage Size:	used=2815MB/total=0MB (eMMC)
EPC Memory Size:	187 MB
Productivity Kit:	Not Installed
Finisher Type:	Simple Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	01:11
Xerox Workplace Cloud	Disabled
E-mail Alerts:	Disabled
Service Plan:	Neutral
Geographic Region:	unknown
Startup Config Report:	Enabled
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Enabled
File Sharing	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	30 minutes
Auto-Off:	Disabled

Software Versions

Device Software:	123.025.005.28800
Patch Version:	None
Network Controller:	123.025.28800
UI Panel Firmware:	6.1
User Interface:	123.025.28800
Marking Engine:	237.004
Copy Controller:	123.025.28800
Document Feeder:	237.004
Finisher:	000.000.000
Fax:	000.000.000
OS:	237.004
Scanner:	237.004
Software Upgrade:	006.001
ALTB00T Software Upgrade:	006.001
Machine Upgrades:	
Last Successful Upgrade:	Allowed
Scheduled Auto Upgrades:	October 21, 2025 17:13:16
Auto Upgrade Start Time:	Disabled
Auto Upgrade Server:	Daily
	0.0.0.0:21

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Plain, White and Letter (8.5 x 11")

Connectivity

Mobile Workflows	
AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication Required:	Disabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered
Physical Connections	
USB Settings	
USB Type A Ports	All Enabled
USB Type B Port	Enabled
Connection Timeout	5 seconds
Wired:	Enabled
Ethernet MAC Address:	78:8c:77:ac:17:78
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup™ (WPS) Name:	
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPv4:	
IPv4 Address:	Enabled
Subnet Mask:	10.61.16.29
Router/Gateway:	255.255.255.0
Automatic Addressing:	10.61.16.1
DHCP Server:	DHCP
DHCP Lease Expiration:	
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	
TCP/IPv6:	
Link Local Address:	Enabled
Use Router Supplied Prefix:	fe80::7a8c:77ff:feac:1778
Stateless Global Address 1:	Enabled
Stateless Global Address 2:	::
Manual Address:	::
DHCP Addressing:	
DHCP Address:	Use DHCP as directed by a router
Default Gateway:	fd00:0:2:116:1bbe:2b28:8e7b:98f0
DUID (DHCP Unique Identifier):	00030001788c77ac1778
DNS Settings:	
Requested Host Name:	
Verified Host Name:	XXR78BC77AC1778
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.16
Alternate DNS Server 1:	10.61.10.6
Alternate DNS Server 2:	10.61.7.15
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	XEROXQA.COM.
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

PS:	Installed
-----	-----------

Protocols (cont.)

Bonjour:	
Bonjour Printer Name:	Xerox VersaLink B625 MFP (AC:17:78)
HTTP:	
Port Number:	80
Force Traffic over Secure Connection (H...)	Yes
Secure HTTP Port Number:	443
Proxy Server:	Manual
Proxy Server Address:	10.177.8.91:8080
IPP	Enabled
Secure IPP Mode:	IPP and Secure IPPS
IPP Network Path:	http://10.61.16.29:631
SNMP	
SNMP v1/v2:	Enabled
SNMP v3:	Disabled
LPR/LPD:	
Port Number:	Enabled
PDL Switching:	515
PDL Banner Override:	Disabled
Raw IP Printing:	
Port Number 1:	Enabled
Bidirectional:	9100
End of Job Timeout:	Disabled
PDL Switching:	300
LDAP	
LDAP Server 1 Friendly Name:	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...)	Disabled
LDAP Server 1 Validate Server Certificate...	Disabled
SMTP	
SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
Max Message Size (KB):	10240
Number of Fragments:	1
Total Job Size (KB):	300000
Job Splitting Boundary:	Page Boundary
Credentials for Auto E-mails:	None
Credentials for Walkup User:	None
SMTP Authentication Type:	Basic Auth with SMTP
POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
POP3 Validate Server Certificate:	
E-mail Address:	
Receipt of E-mail via POP3:	Disabled
Send Confirm on Request:	Enabled
Incoming E-mail cover sheet:	Enabled
NTP:	
Primary Server:	0.0.0.0:123
Alternate Server:	0.0.0.0:123
SLP:	
Disabled	
FTP Client:	
FTP Client Mode:	Passive
Web Services on Device:	
WS-Discovery:	Enabled
WS-Discovery Multicast:	Enabled
WS-Print:	Enabled
WS-Scan:	Enabled
Web Services	
Copy Submission:	Enabled
Digital Certificate Management and Securi...	Enabled
Extensible Service Registration:	Enabled
Job Limits:	Enabled
Job Management Extension:	Enabled
Device Configuration:	Enabled
Scan Submission:	Enabled
Scan Workflow Management:	Enabled
Session Data:	Enabled
User Interface Configuration:	Enabled
EIP Proxy Configuration:	Enabled
Xerox Secure Access:	Disabled
EIP SNMP Configuration:	Enabled
Print Submission:	Enabled
Scan Template Mgmt:	Enabled
Mass Storage Access:	Enabled
Card Reader Access:	Enabled
Authentication & Accounting Configur...	Enabled
Export Audit Log:	Enabled
Trellix Embedded Control:	Enabled

Apps

Printing

Banner Sheet:	Enabled
Sys/Start Job:	Disabled
Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,5
Default Copies:	1
Default Job Type:	Normal Print
Default Paper Size:	x=210mm, y=297mm
Default Paper Color:	White
Default 2 Sided Printing:	2 Sided
Default Output Tray:	Center Tray
Default Output Color:	Black & White
Default Collated Sets:	Enabled
Default Stapling:	Not Available
Offsetting Between Jobs:	No Offset Between Jobs
Archival Marking Mode:	Off
PostScript	
Level:	Installed
Version:	3
Image Quality:	3021.101
PCL	
Version:	6
Pitch Size:	10.00
Point Size:	12.00
Font Name:	Courier
Lines Per Page:	64
Custom Color Tables	Enabled
Label:	Not Installed

Fax:

Fax Line1:	Not Present
Fax Line2:	

Server Fax:

Confirmation Sheet:	Enabled
Errors Only:	Errors Only
Delay Start:	Disabled
Repository Protocol:	SMB
Repository Server:	0.0.0.0
Repository Document Path:	

Workflow Scanning:

Confirmation Sheet:	Enabled
Errors Only:	Errors Only
Default Repository Protocol:	SMB
Default Repository Server:	0.0.0.0
Default Repository Document Path:	
Default Repository Login Credentials:	Device
Alt1 Repository Protocol:	SMB
Alt1 Repository Server:	0.0.0.0
Alt1 Repository Document Path:	
Alt1 Repository Login Credentials:	Device
Workflow Pool Protocol:	SMB
Workflow Pool Server:	0.0.0.0
Workflow Pool Path:	

Email:

Default From Address:	Enabled
Confirmation Sheet:	Errors Only
Auto Send to Self:	Disabled
E-mail Security:	Disabled

Scan to Mailbox:

View Mailboxes by Default:	Enabled
Storage Capacity (MB):	672 MB
Storage Used (MB):	67 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

Scan to Home:

Friendly Name:	
Workflow Name:	
Auto Create Subdir:	Disabled
Append User Name to Path:	Disabled
Auto Create User Name Dir:	Disabled

Scan To:

Cloud Services:	Disabled
-----------------	----------

Print From:

Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Enabled
Cloud Services:	Disabled

Accounting

Accounting Mode: None
Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled
Authentication Server:	Kerberos

Authentication Server:

Kerberos Primary Realm:	
Kerberos Primary Address:	0.0.0.0:88
Kerberos Alt 1 Realm:	
Kerberos Alt 1 Address:	0.0.0.0:88
SMB NT Domain:	
SMB Alt 1 NT Domain:	
Smartcard Ctrl Server:	0.0.0.0:443
Smartcard Ctrl Domain:	
SmartCard OCSP URL:	
Card Reader Upgrade Policy:	Enabled
Card Reader Firmware Version:	

Xerox Secure Access:

Secure Access Server: 0.0.0.0:443
Secure Access Path:

Audit Log:

IP Sec: Disabled

IP Filtering:

Security Certificates

Machine Certificate:

Root Certificates Installed: 48
802.1x: Disabled

Job Data

Scheduled:	Disabled
-------------------	-----------------

Scheduled Frequency:
EIPS 140-3:

FIPS 140-3: Disabled

TLS Hash:

TLS Hash:	SHA-1, SHA-256 and above
Trollix Embedded Control:	2.1.0, 2.1.5, 2.2.0, 2.2.5, 2.3.0, 2.3.5, 2.4.0, 2.4.5, 2.5.0, 2.5.5, 2.6.0, 2.6.5, 2.7.0, 2.7.5, 2.8.0, 2.8.5, 2.9.0, 2.9.5, 3.0.0, 3.0.5, 3.1.0, 3.1.5, 3.2.0, 3.2.5, 3.3.0, 3.3.5, 3.4.0, 3.4.5, 3.5.0, 3.5.5, 3.6.0, 3.6.5, 3.7.0, 3.7.5, 3.8.0, 3.8.5, 3.9.0, 3.9.5, 4.0.0, 4.0.5, 4.1.0, 4.1.5, 4.2.0, 4.2.5, 4.3.0, 4.3.5, 4.4.0, 4.4.5, 4.5.0, 4.5.5, 4.6.0, 4.6.5, 4.7.0, 4.7.5, 4.8.0, 4.8.5, 4.9.0, 4.9.5, 5.0.0, 5.0.5, 5.1.0, 5.1.5, 5.2.0, 5.2.5, 5.3.0, 5.3.5, 5.4.0, 5.4.5, 5.5.0, 5.5.5, 5.6.0, 5.6.5, 5.7.0, 5.7.5, 5.8.0, 5.8.5, 5.9.0, 5.9.5, 6.0.0, 6.0.5, 6.1.0, 6.1.5, 6.2.0, 6.2.5, 6.3.0, 6.3.5, 6.4.0, 6.4.5, 6.5.0, 6.5.5, 6.6.0, 6.6.5, 6.7.0, 6.7.5, 6.8.0, 6.8.5, 6.9.0, 6.9.5, 7.0.0, 7.0.5, 7.1.0, 7.1.5, 7.2.0, 7.2.5, 7.3.0, 7.3.5, 7.4.0, 7.4.5, 7.5.0, 7.5.5, 7.6.0, 7.6.5, 7.7.0, 7.7.5, 7.8.0, 7.8.5, 7.9.0, 7.9.5, 8.0.0, 8.0.5, 8.1.0, 8.1.5, 8.2.0, 8.2.5, 8.3.0, 8.3.5, 8.4.0, 8.4.5, 8.5.0, 8.5.5, 8.6.0, 8.6.5, 8.7.0, 8.7.5, 8.8.0, 8.8.5, 8.9.0, 8.9.5, 9.0.0, 9.0.5, 9.1.0, 9.1.5, 9.2.0, 9.2.5, 9.3.0, 9.3.5, 9.4.0, 9.4.5, 9.5.0, 9.5.5, 9.6.0, 9.6.5, 9.7.0, 9.7.5, 9.8.0, 9.8.5, 9.9.0, 9.9.5, 10.0.0, 10.0.5, 10.1.0, 10.1.5, 10.2.0, 10.2.5, 10.3.0, 10.3.5, 10.4.0, 10.4.5, 10.5.0, 10.5.5, 10.6.0, 10.6.5, 10.7.0, 10.7.5, 10.8.0, 10.8.5, 10.9.0, 10.9.5, 11.0.0, 11.0.5, 11.1.0, 11.1.5, 11.2.0, 11.2.5, 11.3.0, 11.3.5, 11.4.0, 11.4.5, 11.5.0, 11.5.5, 11.6.0, 11.6.5, 11.7.0, 11.7.5, 11.8.0, 11.8.5, 11.9.0, 11.9.5, 12.0.0, 12.0.5, 12.1.0, 12.1.5, 12.2.0, 12.2.5, 12.3.0, 12.3.5, 12.4.0, 12.4.5, 12.5.0, 12.5.5, 12.6.0, 12.6.5, 12.7.0, 12.7.5, 12.8.0, 12.8.5, 12.9.0, 12.9.5, 13.0.0, 13.0.5, 13.1.0, 13.1.5, 13.2.0, 13.2.5, 13.3.0, 13.3.5, 13.4.0, 13.4.5, 13.5.0, 13.5.5, 13.6.0, 13.6.5, 13.7.0, 13.7.5, 13.8.0, 13.8.5, 13.9.0, 13.9.5, 14.0.0, 14.0.5, 14.1.0, 14.1.5, 14.2.0, 14.2.5, 14.3.0, 14.3.5, 14.4.0, 14.4.5, 14.5.0, 14.5.5, 14.6.0, 14.6.5, 14.7.0, 14.7.5, 14.8.0, 14.8.5, 14.9.0, 14.9.5, 15.0.0, 15.0.5, 15.1.0, 15.1.5, 15.2.0, 15.2.5, 15.3.0, 15.3.5, 15.4.0, 15.4.5, 15.5.0, 15.5.5, 15.6.0, 15.6.5, 15.7.0, 15.7.5, 15.8.0, 15.8.5, 15.9.0, 15.9.5, 16.0.0, 16.0.5, 16.1.0, 16.1.5, 16.2.0, 16.2.5, 16.3.0, 16.3.5, 16.4.0, 16.4.5, 16.5.0, 16.5.5, 16.6.0, 16.6.5, 16.7.0, 16.7.5, 16.8.0, 16.8.5, 16.9.0, 16.9.5, 17.0.0, 17.0.5, 17.1.0, 17.1.5, 17.2.0, 17.2.5, 17.3.0, 17.3.5, 17.4.0, 17.4.5, 17.5.0, 17.5.5, 17.6.0, 17.6.5, 17.7.0, 17.7.5, 17.8.0, 17.8.5, 17.9.0, 17.9.5, 18.0.0, 18.0.5, 18.1.0, 18.1.5, 18.2.0, 18.2.5, 18.3.0, 18.3.5, 18.4.0, 18.4.5, 18.5.0, 18.5.5, 18.6.0, 18.6.5, 18.7.0, 18.7.5, 18.8.0, 18.8.5, 18.9.0, 18.9.5, 19.0.0, 19.0.5, 19.1.0, 19.1.5, 19.2.0, 19.2.5, 19.3.0, 19.3.5, 19.4.0, 19.4.5, 19.5.0, 19.5.5, 19.6.0, 19.6.5, 19.7.0, 19.7.5, 19.8.0, 19.8.5, 19.9.0, 19.9.5, 20.0.0, 20.0.5, 20.1.0, 20.1.5, 20.2.0, 20.2.5, 20.3.0, 20.3.5, 20.4.0, 20.4.5, 20.5.0, 20.5.5, 20.6.0, 20.6.5, 20.7.0, 20.7.5, 20.8.0, 20.8.5, 20.9.0, 20.9.5, 21.0.0, 21.0.5, 21.1.0, 21.1.5, 21.2.0, 21.2.5, 21.3.0, 21.3.5, 21.4.0, 21.4.5, 21.5.0, 21.5.5, 21.6.0, 21.6.5, 21.7.0, 21.7.5, 21.8.0, 21.8.5, 21.9.0, 21.9.5, 22.0.0, 22.0.5, 22.1.0, 22.1.5, 22.2.0, 22.2.5, 22.3.0, 22.3.5, 22.4.0, 22.4.5, 22.5.0, 22.5.5, 22.6.0, 22.6.5, 22.7.0, 22.7.5, 22.8.0, 22.8.5, 22.9.0, 22.9.5, 23.0.0, 23.0.5, 23.1.0, 23.1.5, 23.2.0, 23.2.5, 23.3.0, 23.3.5, 23.4.0, 23.4.5, 23.5.0, 23.5.5, 23.6.0, 23.6.5, 23.7.0, 23.7.5, 23.8.0, 23.8.5, 23.9.0, 23.9.5, 24.0.0, 24.0.5, 24.1.0, 24.1.5, 24.2.0, 24.2.5, 24.3.0, 24.3.5, 24.4.0, 24.4.5, 24.5.0, 24.5.5, 24.6.0, 24.6.5, 24.7.0, 24.7.5, 24.8.0, 24.8.5, 24.9.0, 24.9.5, 25.0.0, 25.0.5, 25.1.0, 25.1.5, 25.2.0, 25.2.5, 25.3.0, 25.3.5, 25.4.0, 25.4.5, 25.5.0, 25.5.5, 25.6.0, 25.6.5, 25.7.0, 25.7.5, 25.8.0, 25.8.5, 25.9.0, 25.9.5, 26.0.0, 26.0.5, 26.1.0, 26.1.5, 26.2.0, 26.2.5, 26.3.0, 26.3.5, 26.4.0, 26.4.5, 26.5.0, 26.5.5, 26.6.0, 26.6.5, 26.7.0, 26.7.5, 26.8.0, 26.8.5, 26.9.0, 26.9.5, 27.0.0, 27.0.5, 27.1.0, 27.1.5, 27.2.0, 27.2.5, 27.3.0, 27.3.5, 27.4.0, 27.4.5, 27.5.0, 27.5.5, 27.6.0, 27.6.5, 27.7.0, 27.7.5, 27.8.0, 27.8.5, 27.9.0, 27.9.5, 28.0.0, 28.0.5, 28.1.0, 28.1.5, 28.2.0, 28.2.5, 28.3.0, 2

Relix Embedded Control:

Extensible Service Setup

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_2.40.5 012 01.00.00

Widget Version: v1.3.17 c8 20140613

Widget Version: v1.5.17 c8 20140013
Widget Version: v2.5.04 q9 20240123

version <https://git-lfs.github.com/spec/v1>
oid sha256:345e5f3380f4bef75be3bcc3a9cd43ba897e88a2912c7dd2ab26312000bd4c81
size 4177



Common User Data

Machine Name:	Xerox VersaLink B625 MFP (AC:17:78)
IPv4 Address:	10.61.16.29
Machine Serial Number:	5321605321
Fax Line1:	
Machine URL:	https://10.61.16.29
Machine Activation Date:	Apr 30, 2025 11:40:33
Total Impressions:	9289

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
Recycling Phone Number:	
System Administrator:	Not set
Machine Location:	machine location not set

Managed By

Primary MB Server:

Machine Hardware

Fax Card:	Not Present
Fax Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	3904 MB
Device Storage Size:	used=2814MB/total=13925MB (eMMC)
EPC Memory Size:	187 MB
Productivity Kit:	Not Installed
Finisher Type:	Simple Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	01:11
Xerox Workplace Cloud	Disabled
E-mail Alerts:	Disabled
Service Plan:	Neutral
Geographic Region:	unknown
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
File Sharing	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated

Smart Proximity Sensor

Wake on Arrival:	Not Available
Sleep on Departure:	

Software Versions

Device Software:	123.025.005.28800
Patch Version:	None
Network Controller:	123.025.28800
UI Panel Firmware:	6.1
Marking Engine:	237.004
Document Feeder:	237.004
Finisher:	000.000.000
Fax:	000.000.000
Scanner:	237.004

Machine Upgrades:

Last Successful Upgrade:	October 21, 2025 17:13:16
--------------------------	---------------------------

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Plain, White and Letter (8.5 x 11")

Installed Options

PS:	Installed
-----	-----------

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication Required:	Disabled

Physical Connections

USB Settings

USB Type A Ports	All Enabled
USB Type B Port	Enabled
Wired:	Enabled
Ethernet MAC Address:	78.8c:77:ac:17:78
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled

Wireless MAC Address:

Network Name (SSID):

BSSID:

Security Mode:

Encryption Algorithm:

Status:

Wi-Fi Direct:

Wireless Hardware:

Wi-Fi Protected Setup™ (WPS) Name:

Access Point (SSID):

Show Password on Device Touch Screen:

NFC:

iBeacon (Bluetooth®) for AirPrint Di...

iBeacon Hardware:

Bluetooth Device Address:

iBeacon IP Address:

Protocols

TCP/IPv4:

IPv4 Address:	10.61.16.29
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.16.1
Automatic Addressing:	DHCP
DHCP Server:	
DHCP Lease Expiration:	
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	

TCP/IPv6:

Link Local Address:	fe80::7a8c:77ff:feac:1778
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	::
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	fd00:0:2:116:1bbe:2b28:8e7b:98f0
Default Gateway:	
DUID (DHCP Unique Identifier):	00030001788c77ac1778

DNS Settings:

Requested Host Name:	XR788C77AC1778
----------------------	----------------

Verified Host Name:

Requested Domain Name:

Verified Domain Name:

Multicast DNS:

Release DHCP Leases and DNS Registrati...

Primary DNS Server:

Prefer IPv6 DNS over IPv4:

Bonjour:

Bonjour Printer Name:

HTTP:

Force Traffic over Secure Connection (H...

IPP

SNMP

SNMP v1/v2:

SNMP v3:

LPR/LPD:

Raw IP Printing:

LDAP

LDAP Server 1 Primary LDAP Address:

LDAP Server 1 Search Directory Root:

LDAP Server 1 Secure Connection (LDA...

LDAP Server 1 Validate Server Certificate...

SMTP

SMTP Server:

Connect Encryption (TLS):

Validate Server Certificate (TLS):

SMTP Authentication Type:

Basic Auth with SMTP

Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
POP3 Validate Server Certificate:	
E-mail Address:	
NTP:	Enabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled

Apps

Printing

Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,5
Archival Marking Mode	Off
PostScript	Installed
Level:	3
Version:	3021.101
PCL	
Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed
Fax:	Not Present

Fax:

Fax Line1:	
Fax Line2:	
Server Fax:	Enabled
Repository Protocol:	SMB
Repository Server:	0.0.0.0:0
Repository Document Path:	

Workflow Scanning:

Email:

Scan to Mailbox:

Storage Capacity (MB):	672 MB
Storage Used (MB):	67 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

Scan to Home:

Scan To:

Cloud Services:	Disabled
Print From:	Enabled
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled

Accounting

Accounting Mode:	None
Network Accounting:	Disabled

Security

Authentication Configuration

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled
Authentication Server:	Kerberos
Xerox Secure Access:	Disabled
Audit Log:	Enabled
IP Sec:	Disabled
IP Filtering:	Disabled

Security Certificates

Machine Certificate:	Signed
Root Certificates Installed:	48
802.1x:	Disabled

Job Data Removal:

Scheduled:	Disabled
FIPS 140-3:	Disabled

TLS:

TLS Hash:	SHA-1, SHA-256 and above
Trellix Embedded Control:	Enhanced Security